

Paclobutrazol's Effect on Plant Sexual and Vegetative Development

Jolana Konlska

Department of Weed Science and Plant Protection Techniques, Institute of Plant Protection—National Research Institute,
Wladysława Wegorka 20, 60-318 Poznan, Poland

Article Info

Received: 29-12-2025 Revised: 11-01-2026 Accepted: 13-02-2026 Published: 10-03-2026

ABSTRACT:

This research looked at how Paclobutrazol affected the first cycle of greenhouse-grown cultivar bananas in terms of vegetative development, leaf chlorophyll, time to flowering and harvest, yield, and fruit composition. One powerful selective inhibitor of GA3 production is paclobutrazol. Paclobutrazol was shown to enhance the total amount of chlorophyll in leaves while also significantly reducing the length of the shoots and leaf area. It has been observed that paclobutrazol increases fruit tree output. Apple fruit quality, pH, acidity, and soluble solid concentration were found to be unaffected by PP333.

Key words: Plant regulator, vegetative growth, Sexual growth, quality of fruit.

INTRODUCTION

Many crops, such as apple and cherry (Quinlan, 1981), *Lolium perenne* (Hebblethwaite et al., 1982), tulips (Menhenett and Hanks, 1982/83), chrysanthemum (McDaniel, 1983), and carrots (Thomas et al., 1982), have been reported to be dwarfed by Paclobutrazol (Lever et al., 1982), a plant growth regulator (PGR) from Imperial Chemical Industries. Compared to many other PGRs, paclobutrazol has the benefit of being efficacious whether applied as a soil drench, sprayed on the leaf, or first mixed with the potting compost, as was done with chrysanthemum. In plants, paclobutrazol is metabolised slowly (Sterrett, 1985) and carried acropetally via the xylem, which may serve as a reservoir for paclo absorbed by roots (Lever, 1986), hence extending persistence. Paclobutrazol (PP333), a gibberellin biosynthesis inhibitor (Hedden, 1983), has shown potential in lowering the vigour of several species (Antognozzi and Preziosi, 1986; Tukey, 1986; Li et al., 1989).

Role of PBZ on vegetative growth

Paclobutrazol application dramatically decreased the pseudo stem's rate of expansion and, therefore, the plant's ultimate height. In the year after treatment, Huang et al. (1989) on Asian pears and Li et al. (1989) on peach trees observed similar outcomes. The ultimate growth decrease (44% vs. 21% at 1 g per plant, respectively) demonstrated that plants in the concentration experiment were more sensitive to paclobutrazol than those in the formulation test. After being treated with paclobutrazol, plants displayed a significant decrease in the number of leaves. Woody research (Bargioni et al., 1986; Steffens et al., 1985a). Furthermore, a strong association was seen between paclobutrazol concentration and petiole length and between PP333 rate and leaf area. Paclobutrazol, a strong selective inhibitor of GA3 biosynthesis (Aloni and Paskkar, 1987), may have limited the production of GA3 in fruits and leaves. In another research (Braun and Garth, 1986), a paclobutrazol-induced reduction in runnering in strawberry plants led to a rise in crown number, and cultivar variations were also seen. Pre-harvest apple production has been shown to benefit from the plant growth regulator paclobutrazol in a number of ways, including decreased vegetative growth (Quinlan and Richardson, 1984) and increased fruit yields (Stinchcombe et al., 1984). The length of the shoots was reportedly somewhat reduced with paclobutrazol. Applications of 3000 mg 1-1 daminozide on the same dates resulted in a minor decrease in first-flush blooming, a rise in second-flush flowering, and a slight reduction in shoot length.

Role of PBZ on Leaf Chlorophyll Content

The total amount of chlorophyll in leaves grew dramatically when the concentration of paclobutrazol was raised. Additionally, comparable findings may be made for the two components, chlorophyll a and chlorophyll b, as chlorophyll a is found in twice as much quantity as chlorophyll b. This is consistent with findings from prior studies on apples (Elfving and Proctor, 1986; Steffens and Wang, 1986). According to reports, applying paclobutrazol at 1, 5, or 10 mg/l by soil drenching reduced growth and raised the amount of chlorophyll in cucumber and zucchini squash leaf discs (Wang, 1985).

Increased leaf chlorophyll was linked to decreased growth (Wang et al., 1985; Steffens and Wang, 1986).

Role of PBZ on Flowering

Paclobutrazol had no discernible effect on floral emergence or harvesting time. According to Tukey (1986), spray treatments of paclobutrazol at 500 ppm had no effect on the dates of apple bloom and harvest. According to reports, paclobutrazol (PP 333) increases fruiting and blooming in apples while decreasing vegetative development (Greene, 1986). Mangoes may have experienced a similar circumstance that resulted in early maturity and blossoming. For trees receiving different paclo treatments, a tendency toward biannual blooming patterns may have begun to emerge (Hoblyn et al., 1936). According to McArthur and Eaton's (1988) strawberry studies, "Totem" treated with paclobutrazol showed a modest increase in flower number, while "Shuksan" treated with CCC showed a comparable rise. Lolaei et al. (2012) observed similar findings for strawberries. These findings suggest that enhanced development of later-developed flower buds was made possible by the growth retardants' reduced vegetative growth.

Role of PBZ on Yield

Paclobutrazol enhanced fruit size on olives (Antognozzi and Preziosi, 1986), but decreased it on apples (Steffens et al., 1985b) and cranberries (McArthur and Eaton, 1989). Research on how growth regulators affect banana reproductive development shows that whereas abscisic acid shortens the time to blooming and harvest, ethepall delays these events and decreases yield (Lockhard, 1975). According to Steffens et al. (1993), fruit load only had an impact on weight per fruit in 1986. Over the course of six years, the Paclo SP treatments had no impact on fruit weight; however, in 1986 and 1988, Paclo SP+TD decreased fruit weight. In 1989, however, Paclo SP+TD decreased the quantity of fruit gathered while increasing the weight per fruit. Fruit obtained from reduced-load trees was less than that of equivalent normal-load trees because 30–40% of the fruit had been removed each year. Paclobutrazol treatment, however, had no effect on ultimate yield since the decrease in bunch length outweighed the rise in fruit size. Lolaei et al. (2012) observed similar findings. In addition to its effects on vegetative development, paclobutrazol has been shown to reduce cranberry fruit output (McArthur and Eaton, 1989) and boost apple and olive yields (Quinlan and Richardson, 1986; Antognozzi and Preziosi, 1986).

Role of PBZ on Delay of Ripening

Although there are few examples of paclobutrazol affecting apple post-harvest behaviour, orchard treatment has caused a three-day ripening delay (Luo et al., 1987). According to Luo et al. (1987), paclobutrazol applied early in the season

delayed the ripening of "Golden Delicious" and "Bramley's Seedling" fruits. Research shows that applying paclobutrazol enhanced the overall output of cherries (Edgerton, 1986), apples (Lever, 1986), and oranges (Delgado et al., 1986). Others have shown that paclobutrazol (PP333) either enhanced fruit size (Erez, 1986; Shearing and Jones, 1986) or had no impact on or decreased apple production (Elfving and Proctor, 1986; Monselise, 1986; Sansavini et al., 1986).

Role of PBZ on Fruit Quality

Citrus fruits (Monselise, 1986), grapes (Intrieri et al., 1986), and strawberries (Atkinson and Crisp, 1986; Lolaei et al., 2012) were shown to be unaffected by paclobutrazol. Paclobutrazol treatment increased the amount of starch in the leaves, but it had no effect on apple fruit firmness, soluble solids, carbs, or leaf fructose, glucose, or sucrose (Steffens et al., 1985b). Paclobutrazol administered as a foliar treatment resulted in a considerable increase in fruit starch content (2.1% for control and soil paclobutrazol vs. 3.1% for foliar treatment). Fruit from plants treated with leaves had higher tabular glucose, sucrose, and total sugar concentrations, but no statistically significant Paclobutrazol's effects were assessed in the pulp of untreated fruit, with values of 19.3%, 4.1%, and 10.7% for total sugars, glucose, and sucrose, respectively. Paclobutrazol foliar spray increased fruit carbohydrates in apples, according to Steffens and Wang (1986) and Wang et al. (1985). They proposed that this increase might be linked to a decrease in vegetative growth and an increase in photosynthate partitioning into fruit and possibly other plant organs like roots (Steffens et al., 1983). Furthermore, Sansavini et al. (1986) discovered that PP333 had no effect on the soluble solid concentration, pH, acidity, or apple fruit quality. In a similar vein, citrus fruit juice content, total soluble solids (TSS), acidity (A), or ratio (TSS/A) were shown to be unaffected by Delgado et al. (1986). TSS, carotenoids, α -amylase activity, and peroxidase activity have all been linked to ripening mango fruit in previous research (Kalra and Tandon, 1983; Fuchs et al., 1980; Mattoo and Modi, 1969). For example, fruits treated with 2000 or 3000 mg 1-1 paclobutrazol had considerably higher TSS levels and lower total acidity, improved carotenoid development, and increased activity of α -amylase and peroxidase at harvest (Burg and Burg, 1962). Taste panellists reported that fruit from "Cox's Orange Pippin" trees treated with paclobutrazol (PP333) was less sweet (Johnson and Legge, 1985), and apples from trees treated with PP333 earlier in the season had lower levels of total soluble solids (Greene, 1986). When it comes to consumer attractiveness, the fruit from trees treated with paclobutrazol tends to have a lower total soluble solids content (reduced sweetness). In a number of species, PBZ decreased the amount of fruit soluble solids (Curry and Williams, 1990; Elfving et al., 1990; Huang et al., 1989).

CONCLUSION

By reducing the length of shoots and leaves as well as the

quantity of leaves on plants, paclobutrazol application dramatically slowed the pace of vegetative development. Plant yield rose as a result of paclobutrazol's influence on fruit size and quantity. Paclobutrazol significantly affected fruit quality by increasing T.S.S. content and decreasing TA. According to Lolaei et al. (2012 a,b), using paclobutrazol resulted in a reduction in vegetative growth, an increase in production, and significant benefits on fruit quality. The writers reported similar findings.

REFERENCE

- Aloni B, Paskkar T. 1987. Antagonistic effects of paclobutrazol and gibberellic acid on growth and some biochemical characteristics of pepper (*Capsicum annum*) transplants. *Scientia Hort.*, 33: 167-178.
- Antognozzi E, Preziosi P. 1986. Effects of Paclobutrazol (PP333) on nursery trees of olive. *Acta Hort.*, 179: 583-586.
- Atkinson D, Crisp C M. 1986. The effect of paclobutrazol on the growth and performance of strawberry plants: some initial results. *Acta Hort.*, 179: 593-598.
- Atkinson D, Harrison S, Crisp CM, Beech M. 1985. The role of paclobutrazol and other growth regulators in strawberry cropping systems. *Proc. 1985 Crop Protection Conf., Weeds*, 4C-17: 505-512.
- Bargioni G, Madinelli C, Ramina A, Tonutti P. 1986. Effect of Paclobutrazol PP333 on vegetative and reproductive activity of sweet cherry. *Acta Hort.*, 179: 581-582.
- Braun JW, Garth JKL. 1986. Strawberry vegetative and fruit growth response to paclobutrazol. *J. Am. Soc. Hortic. Sci.*, 111: 364-367.
- Burg SP, Burg EA. 1962. Role of ethylene in fruit ripening. *Plant Physiol.*, 37: 179-189.
- Curry EA, Williams MW. 1990. *Fruit Varieties J.*, 44 (3): 172-176.
- Deigado R, Casamayor R, Rodriguez JL, Cruz P, Fajardo R. 1986. Paclobutrazol affects oranges under tropical conditions. *Acta Hort.*, 179: 537-544.
- Elfving DC, Chu CL, Loughed EC, Cline RA. 1990. *J. Am. Soc. Hort. Sci.*, 115: 750-756.
- Elfving DC, Proctor JTA. 1986. Long term effects of paclobutrazol (cultural) on apple shoot growth, cropping and fruit-leaf relations. *Acta Hort.*, 179: 473-480.
- Erez A. 1986. Effect of soil applied paclobutrazol in drip irrigated peach orchards. *Acta Hort.*, 179: 513-520.
- Fuchs Y, Pesis E, Zauberman G. 1980. Changes in amylase activity, starch and sugars contents in mango fruit pulp. *Scientia Hort.*, 13: 155-160.
- Greene DW. 1986. Effect of paclobutrazol and analogs on growth, yield, fruit quality and storage potential of delicious apples. *J. Am. Soc. Hort. Sci.*, 111: 328-332.
- Hebhlthwaite PD, Hampton JG, McLaren JS. 1982. The chemical control of growth, development and yield of *Lolium perenne* grown for seed. In: J.S. McLaren (Editor), *Chemical manipulation of crop growth and development*, Butterworths, London, pp. 505--523.
- Hedden P. 1983. Gibberellin metabolism and the mode of action of plant growth regulators. *Rep. East Malling Res. Stn.*, 1982:147-148.
- Hoblyn TN, Grubb NH, Painter AC, Wates BL. 1936. Studies in biennial bearing. *Int. J. Pomology Holt. Sci.*, 14: 39-76.
- Huang H, Cao SY, Qiao XS, Lu R. 1989. The effect of paclobutrazol on growth of some Asian pears. *Scientia Hort.*, 38: 43-47.
- Huang H, Yin WS, Zheng GF. 1989. *J. Sci. Hort.*, 39: 9-14.
- Intrieri C, Silvestroni O, Poni S. 1986. Preliminary experiments on paclobutrazol effects on potted grapevines (cv. 'Trebiano'). *J. Act Hort.*, 179: 589-592.
- Iwahori S, Shigeto. 1985. Tominaga Increase in First Flush Flowering of Meiwa Kumquat, *Fortunella Crassifolia* Swingle., Trees by Paclobutrazol. *Scientia Horticulturae*, 28 (1986) 347--353.
- Johnson DS, Legge AP. 1985. Effects of pre-harvest agronomic factors on the storage quality of fruit. *Rep. East Malling Res. Stn.*, 108-109.
- Kalra SK, Tandon DK. 1983. Ripening behavior of 'Dashehari' mango in relation to harvest period. *Scientia Hort.*, 19: 263-269.
- Lever BG, Shearing SJ, Batch JJ. 1982. PP333 -- A new broad-spectrum growth retardant. *Proc. Br. Crop Protection Conf. -- Weeds*, British Crop Protection Council, Croydon, pp. 3--10.
- Lever BG. 1986. 'Cultar' - A technical overview. *Acta Hort.*, 179: 459-466.
- Li SH, Bussi C, Clanet H, Regnard JL. 1989. Réponse du pêcher au paclobutrazol: effets du produit sur la croissance végétative et la fructification. *Fruits*, 44: 99-108.
- Lockhard RG. 1975. The effect of growth inhibitors and promoters on the growth, flowering, and fruit size of banana plants. *Malays. Agric. Res.*, 4: 19.
- Lolaei A, Kaviani B, Khorrami Raad M, Rezaei MA, Maghsoudi M. 2012. Effect of Paclobutrazol and Salinity on Vegetative and Sexual Growth and Fruit Quality of Strawberry (*Fragaria* × *Ananassa* Duch. cv. Selva). *Annals of Biological Research*, 2012, 3 (10):4663-4667.
- Lolaei A, Rezaei MA, Khorrami Raad M, Kaviani B. 2012. Effect of Paclobutrazol and Sulfate Zinc on Vegetative Growth, Yield and Fruit Quality of Strawberry (*Fragaria* × *Ananassa* Duch. cv. Camarosa). *Annals of Biological Research*, 3 (10):4657-4662.
- Luo Y. 1987. A study of the effects of paclobutrazol on post-harvest behaviour of apple and tomato fruit. PhD Thesis, University of Bath, 110-113.
- Mattoo AK, Modi VV. 1969. Ethylene and ripening of mangoes. *Plant Physiol.*, 44: 308-310.
- McARTHUR DAJ, EATON GW. 1988. Strawberry Yield Response to Fertilizer, Paclobutrazol and Chlormequat. *Scientia Horticulturae*, 34: 33-45.
- McArthur DAJ, Eaton GW. 1989. Cranberry growth and yield response to fertilizer and paclobutrazol. *Scientia Hort.*, 38:131-146.
- McDaniel GL. 1983. Growth retardation activity of paclobutrazol on chrysanthemum. *Hort Science*, 18: 199-200.
- Menhenett R, Hanks GR. 1982/83. Comparisons of a new triazole retardant PP333 with ancymidol and other compounds on pot-grown tulips. *Plant Growth Regul.*, 1: 173--181.
- Monselise SP. 1986. Growth retardation of shoot and peel growth in citrus by paclobutrazol. *Acta Hort.*, 179: 529-536.
- Quinlan JD, Richardson PJ. 1984. Effect of paclobutrazol (PP333) on apple shoot growth. *Acta Hort.*, 146: 105-111.
- Quinlan JD, Richardson PJ. 1986. Uptake and translocation of paclobutrazol and implications for orchard use. *Acta Hort.*, 179:443-45.
- Quinlan JD. 1981. New chemical approaches to the control of fruit tree form and size. *Acta Hort.*, 120: 95--106.
- Sansavini S, Bonomo R, Finotti A, Palara U. 1986. Foliar and soil application of paclobutrazol on Gloster apple. *Acta Hort.*, 179: 489-496.
- Shearing SJ, Jones T. 1986. Fruit tree growth control with cultural - Which method of application? *Acta Hort.*, 179:505-512.
- Steffens GL, Byun JK, Wang SY. 1985a. Controlling plant growth via the gibberellin biosynthesis system. I. Growth parameter alterations in apple seedlings. *Physiol. Plant.*, 63: 163-168.
- Steffens GL, Jacobs FW, Engelhaupt ME. 1993. Size, flowering and

International Journal of Agricultural Land, Plant Protection and Crop Science

Volume 1 Issue 1, 2026

- fruiting of maturing ownrooted 'Gala' apple trees treated with paclobutrazol sprays and trunk drenches. *Scientia Horticulturae*, 56:13-21.
- Steffens GL, Wang SY, Faust M, Byun JK.1985b. Growth, carbohydrate, and mineral element status of shoot and spur leaves and fruit of 'Spartan' apple trees treated with paclobutrazol. *J. Am. Soc. Hortic. Sci.*, 110: 850-855.
- Steffens GL, Wang SY.1986. Biochemical and physiological alterations in apple trees caused by a gibberellin biosynthesis inhibitor, paclobutrazol. *Acta Hortic.*, 179: 433-442.
- Sterrett JP. 1985. Paclobutrazol: A promising growth inhibitor for injection into woody plants. *J. Am. Soc. Hort. Sci.*, 110: 4-8.
- Stinchcombe GR, Copas E, Williams RR, Arnold G.1984. The effects of paclobutrazol and daminozide on the growth and yield of cider apple trees. *J. Hortic. Sci.*, 59: 323-327.
- Thomas TH, Barnes A, Hole CC.1982. Modification of the plant-part relationships in vegetable crops. In: J.S. McLaren (Editor), *Chemical Manipulation of Crop Growth and Development*. Butterworths, London, pp. 297- 311.
- Tukey LD.1986. Cropping characteristics of bearing apple trees an, really sprayed with paclobutrazol (PP333). *Acta Hortic.*, 179:481-488.
- Wang CK. 1985. MODIFICATION OF CHILLING SUSCEPTIBILITY IN SEEDLINGS OF CUCUMBER AND ZUCCHINI SQUASH BY THE BIOREGULATOR PACLOBUTRAZOL (PP333). *Scientia Horticulturae*, 26 (1985) 293-298.
- Wang SY, Byun JK, Steffer~s GL.1985. Controlling plant growth via the gibbereUin biosynthesis system. II. Biochemical and physiological alterations in apple seedlings. *Physiol. Plant.*, 63: 169-175.
- Wood BW.1986. Influence of paclobutrazol (PP333), flurprimidol (EL-500) and ortho XE- 1019 (Chevron) growth retardants on growth and selected chemical and yield characteristics of *Carya illinoensis*. *Acta Hortic.*, 179: 287-288.